UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,782	11/18/2003	Dwayne Need	MFCP.110238	4543
45809 7590 07/23/2008 SHOOK, HARDY & BACON L.L.P. EXAMINER				
(c/o MICROSOFT CORPORATION) INTELLECTUAL PROPERTY DEPARTMENT 2555 GRAND BOULEVARD KANSAS CITY, MO 64108-2613			PATEL, MANGLESH M	
			ART UNIT	PAPER NUMBER
			2178	
			MAIL DATE	DELIVERY MODE
			07/23/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/715,782	NEED ET AL.				
Office Action Summary	Examiner	Art Unit				
	MANGLESH M. PATEL	2178				
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was period to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 24 Ap	oril 2008.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-6,8-20 and 22-32</u> is/are pending in t	the application.					
4a) Of the above claim(s) is/are withdraw						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-6,8-20 and 22-32</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)☐ The drawing(s) filed on is/are: a)☐ acce	epted or b) objected to by the B	Examiner.				
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	∍ 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	jected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents						
2. Certified copies of the priority documents						
3. Copies of the certified copies of the prior	·	ed in this National Stage				
application from the International Bureau * See the attached detailed Office action for a list		ad				
Gee the attached detailed Office action for a list	or the certified copies flot receive	u.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate				
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application				

Art Unit: 2178

DETAILED ACTION

1. This **Final** action is responsive to the amendment filed on 4/24/2008.

2. Claims 1-6, 8-20 & 22-32 are pending. Claims 1, 13, 25 and 30 are the independent claims.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. Claims 1-6, 8-20 & 22-32 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Deleeuw (U.S. 5,828,900, filed Jan 3, 1996).

Regarding Independent claims 1 and 25, Deleeuw discloses a computerized method for processing a user input event having code associated therewith, said method comprising: Receiving notification of said input event, said notification including the associated code (column 1, lines 50-67, wherein the host input stream handles the notification of the input event which includes the code that is stored in a storage module); Determining whether a text converting component is interested in performing a conversion action with respect to said input event (column 2, lines 1-22, wherein the host multiple-byte character generator or IME with the set language my try to convert the input that may have been already translated by the guest character generator or application. Further Deleeuw indicates that a system is needed for application sharing that will disable the application from receiving the events, therefore it has to determine weather the text converting component is interested in performing a conversion in order to block the received events); Notifying an application of said input event by providing said application a sentinel value when the text converting component is interested in performing said conversion action with respect to said input event (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application).

Deleeuw discloses Receiving from the application a request to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application (fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is to control input of

Art Unit: 2178

erroneous characters.

events into shared application 99." Thus since the application accepts all input and is in communication with the input module, the input module is always receiving a request to disclose said code from the application).

Deleeuw further discloses revealing said code to the application in response to <u>said</u> request to disclose said code (column 2, lines 1-22, An application will accept any input erroneous or not from the input manager thus meeting the limitation. Because in fig 3 he already shows that keyboard events which include code are processed by the IME and sent to the application, the purpose of Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for **ultimate use** by the application. Although the application would accept the input the user would not be able to understand such results, thus the disablement of the application). Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. At the time of the invention it would have been obvious to one of ordinary skill in the art to send a sentinel value to the application. The motivation for doing so would have been to prevent the application from trying to read the event by sending a dummy value thereby preventing the display of unpredictable and

Regarding Dependent claim 2, which depends on claim 1, Deleeuw discloses wherein said user input event is communicated via a keyboard, a screen with user input capability, a mouse, and/or a device with voice input capacity (column 2, lines 55-67, wherein the input event includes keyboard a display and a mouse device).

Regarding Dependent claims 3, 15 and 26, Deleeuw discloses wherein said code identifies at least a portion of a letter, a character, an ideograph or a symbol associated with said user input event (column 1, lines 25-39, wherein the multiple byte character generator that handles input events includes characters as part of the code).

Regarding Dependent claim 4, which depends on claim 1, Deleeuw discloses communicating said code to the application when the text converting component is not interested in processing said user input event (column 2, lines 1-22, wherein when the multiple-byte character generator is not interested in performing a conversion then the guest application handles the input event).

Regarding Dependent claims 5 and 18, Deleeuw discloses wherein the text converting component is configured to convert said code to a standard for coding text (column 1, lines 25-40). Deleeuw indicates that the text converting component or multiple-byte character generator supports Chinese and Japanese characters but fails to explicitly describe support for a standard. However at the time of the invention it would have been obvious to include support for a coding standard within the text converting

Art Unit: 2178

component. The motivation for doing so would have been to allow the IME to handle multiple languages using only one

character set thereby reducing the complexity of programming.

Regarding Dependent claims 6 and 19, Deleeuw discloses wherein said standard is Unicode (column 1, lines 25-40). Deleeuw

indicates that the text converting component or multiple-byte character generator supports Chinese and Japanese characters but

fails to explicitly describe support for Unicode encoding. However at the time of the invention it would have been obvious to

include support for a coding standard within the text converting component. The motivation for doing so would have been to

allow the IME to handle multiple languages using only one character set thereby reducing the complexity of programming.

Regarding Dependent claim 8, which depends on claim 1, Deleeuw discloses determining whether a computer component is

interested in processing said input event (column 2, lines 1-22, wherein the host multiple-byte character generator or IME with

the set language my try to convert the input that may have been already translated by the guest character generator or application.

Further Deleeuw indicates that a system is needed for application sharing that will disable the application from receiving the

events, therefore it has to determine weather the text converting component is interested in performing a conversion in order to

block the received events).

Regarding Dependent claims 9, 24, 28 & 32, Deleeuw discloses obfuscating said code from an application when the computer

component is interested in processing input event (column 2, lines 25-33, wherein the code is bypassed from an application when

the guest application is interested in processing the input event).

Regarding Dependent claim 10, which depends on claim 9, Deleeuw discloses notifying the application that the computer

component is interested in processing said input event (column 2, lines 25-33).

Regarding Dependent claims 11, 23 and 29, Deleeuw discloses wherein said computer component is an input method editor

(column 2, lines 1-22).

Regarding Dependent claim 12, which depends on claim 8, Deleeuw discloses

wherein said computer component is configured to allow a user to enter at least a portion of a letter, a character, an ideograph or a

symbol associated with a desired language (column 2, lines 1-22).

Art Unit: 2178

Regarding Independent claim 13, Deleeuw discloses a computer system for processing a user input event having code associated therewith, the system comprising: One or more text converting components (column 2, lines 1-22, wherein the host and guest include text converting components); One or more applications (fig 2, wherein the shared applications reside on the host as shown in numeral 99); An input manager configured to interact with said one or more text converting components and said one or more applications, wherein said input manager is configured to receive notification of an input event, said notification including the associated code, and wherein said input manager is further configured to prevent said one or more applications from handling said input event by providing a sentinel value to the one or more applications when said one or more text converting components are interested in performing a conversion with respect to said input event, wherein said input manager is further configured to receive from an application a request to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application, (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application. fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is to control input of events into shared application 99." Thus since the application accepts all input and is in communication with the input module, the input module is always receiving a request to disclose said code from the application). Deleeuw further discloses wherein said input manager is further configured to reveal said code to said application in response to a request to disclose code (column 2, lines 1-22, An application will accept any input erroneous or not from the input manager thus meeting the limitation. Because in fig 3 he already shows that keyboard events which include code are processed by the IME and sent to the application, the purpose of Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for ultimate use by the application. Although the application would accept the input the user would not be able to understand such results, thus the disablement of the application). Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. At the time of the invention it would have been obvious to one of ordinary skill in the art to send a sentinel value to the application. The motivation for doing so would have been to prevent the application from trying to read the event by sending a dummy value thereby preventing the display of unpredictable and erroneous characters

Regarding Dependent claim 14, which depends on claim 13, Deleeuw discloses wherein said code is generated by a driver associated with an input device (fig 2, numeral 25, wherein the input includes a keyboard driver to handle the input events).

Art Unit: 2178

Regarding Dependent claim 16, which depends on claim 13, Deleeuw discloses wherein said user input event is communicated via an input device that is not configured according to a desired language (column 1, lines 25-40, wherein the multiple-byte character generator handles input devices that are not configured in a desired language by converting the input to the desired language).

Regarding Dependent claim 17, which depends on claim 13, Deleeuw discloses wherein said input manager is further configured to communicate said code to one or more applications when none of the text converters are interested in processing said user input event (column 2, lines 1-23, wherein when none of the text conversion programs are interested in processing the event then the event is passed to the guest applications).

Regarding Dependent claim 20, which depends on claim 13, Deleeuw discloses wherein said input manager is further configured to notify the one or more applications that at least one of said text converting components is interested in performing a conversion action with respect to said input event (column 2, lines 1-23, wherein the guest applications are notified that the text converting component is interested in performing a conversion by bypassing the value in the host text converting application and sending it to the guest application).

Regarding Dependent claim 22, which depends on claim 13, Deleeuw discloses one or more computer components (see fig 12).

Regarding Dependent claim 27, which depends on claim 25, Deleeuw discloses a computer component interface component for determining whether one or more computer components are interested in handling said user input event (column 2, lines 55-67, wherein the interfacing component is shown in fig 2 between the host and guest machines for application sharing).

Regarding Independent claim 30, Deleeuw discloses a computer system for processing a user input event having code associated therewith, the system comprising: Means for receiving notification of a user input event having code associated therewith, said notification including the associated code (column 1, lines 50-67, wherein the host input stream handles the notification of the input event which includes the code that is stored in a storage module); Means for converting said code to a value indicating a character or a symbol (column 1, lines 25-50, wherein the input includes a character code); One or more applications (column 2, lines 1-22, wherein the host and guest contain multiple applications); Means for interacting with said one or more applications and said converting means in response to notification of said user input event, wherein said means for interacting are configured to prevent one or more applications from handling said user input event by providing a sentinel value

Art Unit: 2178

to the one or more applications when said converting means are interested in performing a conversion action with respect to said input event, wherein said means for interacting is further configured to receive from an application a request to disclose said code, wherein said request is generated by the application incident to the application recognizing that said sentinel value represents a type of input event that is capable of being processed by said application, (column 2, lines 1-22, wherein Deleeuw indicates that a system is needed to disable the host application from receiving the events to avoid the generation of unpredictable and erroneous characters in an application. fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is to control input of events into shared application 99." Thus since the application accepts all input and is in communication with the input module, the input module is always receiving a request to disclose said code from the application). Deleeuw discloses wherein said means for interacting is further configured to reveal said code to said one or more applications in response to a request to disclose said code (column 2, lines 1-22, An application will accept any input erroneous or not from the input manager thus meeting the limitation. Because in fig 3 he already shows that keyboard events which include code are processed by the IME and sent to the application, the purpose of Deleeuw's invention is to prevent the application from processing and displaying such erroneous results for ultimate use by the application. Although the application would accept the input the user would not be able to understand such results, thus the disablement of the application). Although Deleeuw doesn't explicitly describe sending a sentinel value to the application, he does describe that the event needs to be blocked from the application. At the time of the invention it would have been obvious to one of ordinary skill in the art to send a sentinel value to the application. The motivation for doing so would have been to prevent the application from trying to read the event by sending a dummy value thereby preventing the display of unpredictable and erroneous characters.

Regarding Dependent claim 31, which depends on claim 30, Deleeuw discloses further comprising means for editing an input method (column 1, lines 10-55, wherein the input method supports editing for selecting different languages and converting to its respective encoding as identified by the multiple-byte character generator).

It is noted that any citation [[s]] to specific, pages, columns, lines, or figures in the prior art references and any interpretation of the references should not be considered to be limiting in any way. A reference is relevant for all it contains and may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art. [[See, MPEP 2123]]

Response to Arguments

5. Applicant's arguments filed 4/24/2008 have been fully considered but are not persuasive.

Art Unit: 2178

Applicant Argues: <u>Indeed, nowhere does Deleeuw suggest an application processing a dummy variable to determine</u> whether it represents a type of input capable of being processed by the application. Nor does Deleeuw teach revealing the obfuscated input code to the application in response to an explicit request to disclose said code. (pg 10, paragraph 1)

The Examiner Respectfully disagrees: Fig 3 shows the shared application 99 including the input module 30 that is in communication with the shared application. Column 7, lines 30-40 states "As noted above, one function of input module 30 is to control input of events into shared application 99." Thus since the application accepts all input and is in communication with the input module, the input module is always receiving a request to disclose said code from the application because as previously noted the application accepts all input. The language requiring clarification is the portion describing "..a type of event capable of being processed". The purpose of DeLeeuw deals with the disablement of the IME to prevent the application from displaying unnecessary translations, because this is something the user would not understand, the application would regardless accept the translations thus being capable of processing the event received from the IME.

(Note: The Examiner appreciates applicant's effort to expedite prosecution in this application. The Examiner advises applicant to contact the examiner for an interview to discuss and clarify over the teachings of Deleeuw to expedite prosecution).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2178

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manglesh M. Patel whose telephone number is (571) 272-5937. The examiner can normally be reached on M, W 6 am-3 pm T, TH 6 am-2pm, Fr 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen S. Hong can be reached on (571) 272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manglesh M. Patel Patent Examiner (AU 2178) July 17, 2008

/Manglesh M Patel/ Manglesh Patel Examiner, Art Unit 2178

/CESAR B PAULA/
Primary Examiner, Art Unit 2178